


# 1/35 Scale TYRANNOSAURUS REX Assembly Instructions




# 1/35 SCALE TYRANNOSAURUS REX PLASTIC MODEL KIT

**X-PLUS**  
MODEL KIT  
KIT NO.  
411-200130T

## IMPORTANT - READ THIS FIRST!


Front View



- This model needs to be assembled. Please read the instructions carefully before assembling the model.
- After taking the product out of the plastic bag, please tear the plastic bag and dispose of it somewhere safe as there is a danger of suffocation if young children mishandle it.
- Cleanly clip the parts from the trees and discard the trees after all parts have been removed.
- Due to the way this product is manufactured, there will always be a possibility of there being sharp points that may cause harm. Be sure not to play with or mishandle the trees or use them for anything than their intended use. Households with young children should be particularly careful.
- Use nippers for removing parts and smooth over any burrs remaining on parts with a craft knife or file. Be careful when using nippers, craft knives or files as you may cut your hands or fingers. Children under 10 years old should have the work carried out by a parent or guardian.
- This kit contains small parts which can be a choking hazard so please keep them out of reach of younger children. Under no circumstances should a child younger than the target age be left unsupervised as there is a risk of swallowing these parts.
- If you are using plastic cement or paint, pay extra attention to the following points: If the cement or paint gets in your eyes, immediately wash the affected area with plenty of water and consult a doctor. Do not use cement or paint in an enclosed area as there is a danger of inhaling toxic fumes. Under no circumstances should you use cement or paint near an open flame as there is a risk of fire.
- Do not leave this product in areas subject to direct sunlight, high temperatures or high humidity.



### PRO TIP!



- BURNT UMBER
- BURNT SIENNA
- YELLOW OCHRE
- IVORY
- BLACK

### YOU GOTTA KEEP AN EYE OUT FOR THESE KITS TOO!

VELOCIRAPTORS BLUE & BETA SPINOSAURUS



© Universal City Studios LLC and Amblin Entertainment, Inc. All Rights Reserved.

### SURVEY!



### CONTACT US

ADDRESS: 9F, Hiranomachi Takahashi Bldg., Hiranomachi 1-8-8, Chuo Ward, Osaka City, Osaka, Japan 541-0046

EMAIL: info@ric-toy.com

\*We are available on non-holiday weekdays from 10:00 to 18:00 (JST)

2023 X PLUS CO., LTD.

MADE IN CHINA



3D sculpt by: Takayuki Higashi, Nils Wadensten  
© Universal City Studios LLC and Amblin Entertainment, Inc. All Rights Reserved.



**FOR SUGGESTED DETAIL PAINTING SCHEME - SEE ILLUSTRATIONS. Paint parts as indicated and allow to dry before assembling.**

**NOTE!**

**PLEASE TEST FIT PARTS BEFORE GLUING TO ENSURE PROPER FIT.**



**Step 1: Assembling the Head**

Attach the front teeth #22 to the upper jaw #1, and insert the right and left teeth #8, #11. Attach the front teeth #21 to #2, and insert the right and left teeth #7, #10.

Use the completed upper and lower jaws to attach the mouth corners #39, #40 by sandwiching them in between. Insert tongue #14 in lower jaw #2.



\*Before gluing, be sure to do a test fit and confirm the position of the parts.

The head is now complete.



**Step 2: Assembling the Body.**

Attach the inner parts #5, #6 of the body. Then, attach the base of the tail #17, #46, #48 to the inner parts. Attach the back part #23 and the bottom part of the thigh #25 to the inner parts. Next, attach the back part #51 and the bottom part of the belly #52 to the inner parts. Attach the belly parts #47, #49 to the inner parts. The body is now complete.



**Step 3: Assembling the Legs.**

Attach the inner thigh #12 to the right leg #3. Then, attach the left and right toes #33, #41 to the foot #24, and attach the kick claw #43. Attach the inner thigh #9 to the left leg #4. Then, attach the left and right toes #27, #28 to the foot #26, and attach the kick claw #42. The left and right legs are now complete.

**Step 4: Assembling the Tail.**


Prepare the tip of the tail part #15, and attach #18, #19, #20. Be sure to do a test fit before gluing to confirm the position of the parts. Then, attach #13, #50, #53. Be careful to avoid shifting the parts while attaching them.

**Step 5: Assembling the Arms.**

Attach #35 to the right arm #31. Attach #36 to the left arm #32, then attach #44. The arms are now complete.

**Step 6: Assembling T-Rex.**



attach the head, arms, legs, and the tail to the body assembled in Step 2. Now the T-Rex is complete!



**NOTE!**

Please attach the legs later.

1/35 SCALE  
**TYRANNOSAURUS REX**  
PLASTIC MODEL KIT




**Step 7: Assembling Dr. Ian Malcolm.**  
Attach #34, #37 to #30.

**Step 8: Assembling the Diorama Base.**  
Attach the fence posts #29, #38, #45 to the diorama base part #55. Cut the lead wire into 11 segments measuring 30 cm each and pass them through the fence posts to recreate the fence wires.


**NOTE!**

Do not put wire in your mouth or lick it as it contains lead.



**Base Options**

You can use either the smaller round pedestal or the large diorama as a base.



**Step 9: Completing the Assembly**  
Attach the Tyrannosaurus Rex body and Dr. Ian Malcolm to the diorama base, and attach the logo #54. The model is now complete! Let's paint it next!

1/35 SCALE

# TYRANNOSAURUS REX

PLASTIC MODEL KIT

X-PLUS  
MODEL KIT

## Exclusive Edition Parts

Using Runner B

### Step 1: Donald Gennaro Assembly

Attach Tie #4 to Body #6. Then, attach Left Arm #13, Right Arm #10, and both Legs #8, #12 to the Body.

### Step 2: Assembling Toilet

Attach #3 to #2. Then, attach #1 and #5.




FIG.1




FIG.2

### Step 3: Assembling Diorama base

Attach Wood Piece #11 to pedestal #7. Place the toilet and have Gennaro sit on it. Refer to the diagram to position Roof Pieces #9 and #15 and Wood Piece #14 accordingly. And with that, your assembly is complete.

SHONEN-RIC EXCLUSIVE